

# CNT-1000 Series Machine Pricing



The CNT-1000 Series CNC Router Packages include the following features:

- Bridge, Table and Z-Head;
- Electronics, Servo Motors and Drives;
- Computer, Motion Control Software and EnRoute Basic Software with Nesting;
- NEMA 12 Pressurized Control Cabinet;
- Computer, Monitor, Keyboard, Mouse;
- Router Spindles and Dust Boots;
- Thru-vacuum Hold-Down System;
- Perimeter Cable E-Stop;
- Full Assembly with 48-hr Burn-in;
- Three-day Installation and Training.

**THESE PACKAGES DO NOT INCLUDE** Dust Collection Unit, Delivery or Shipping Charges, Installers' Travel Expenses (including Accommodations and Meals) and Hook-up to Customer's Power.



## PACKAGE AS SHOWN ABOVE

### Auto Tool Changer and 32mm Boring System 60" X 120" Cutting Area Package

1000 Series Machine with Two Z-Heads..... \$45,800.00

- 2200 IPM Positioning Speeds X- & Y-Axis .....
- AC Brushless Closed-Loop Servo .....
- X- Z-Axis Hiwin Ball Screw Drive .....
- Windows® CNC Controller Software .....
- 60" Wide x 120" Long Cutting Area.....
- Perimeter Cable E-Stop.....
- Automatic Tool Length Measure Switch .....
- Includes Onsrud Tooling Package for Nested Mfg.....
- Windows10 Pro Computer with 17" Monitor .....
- 500 IPM Positioning Speeds Z-Axis .....
- Y-Axis Helical Rack-and-Pinion Drive .....
- NEMA 12 Computer Control Cabinet .....
- Z-Axis has 11" Vertical Motion .....
- 100" Wide x 147" Long Machine Foot Print .....
- Computer Control Spindle On/Off/Speed Changes .....
- 64" x 147" Structural Table Base .....
- Pressurized and Lubricated 25mm Bearing System .....
- 3-Day Installation and Training\*\* .....
- One 12-hp HSD ISO30 Four Pole 230V Tool Change Router .....
- Long Nose Spindle with Advanced Dust Collection 24,000 RPM *On The Fly* Spindle Speed Control .....
- Two 2-Station Tool Bar and 8 ISO30 Tool Holders, 4 Tools Mounted on Fixed Tool Bar.....
- HSD Multi-Spindle 32mm Boring 5 X and 8 Y Drills.....
- 25-hp FPZ Regenerative Vacuum Blower and Switch Gear.....
- 13.2 Hg, 380 CFM, 60" x 120" x 1/2" Aluminum Vacuum Grid .....
- Five Air Actuated Pop Up Pin Material Stops.....
- EnRoute6 CAD/CAM Software with Nesting.....

**FOB Pittsburgh, PA Total ..... \$94,245.00**

## ADDITIONAL CONFIGURATIONS ON FOLLOWING PAGES.

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
FOR CURRENT PRICING, PLEASE CONTACT YOUR CNT MOTION SYSTEMS SALES REPRESENTATIVE.

© 2020 CNT Motion Systems. All rights reserved.

## OTHER 60" X 120" CUTTING AREA PACKAGES

### AUTO TOOL CHANGER 60" X 120" CUTTING AREA PACKAGE

<b>1000 Series Machine with One Z-Head.....</b>	<b>\$43,610.00</b>
- 2200 IPM Positioning Speeds X- & Y-Axis	- 500 IPM Positioning Speeds Z-Axis
- AC Brushless Closed-loop Servo	- Y-Axis Helical Rack-and-Pinion Drive
- X- Z-Axis Hiwin Ball Screw Drive	- NEMA 12 Computer Control Cabinet
- Windows® CNC Controller Software	- Z-Axis has 11" Vertical Motion
- 60" Wide X 120" Long Cutting Area	- 100" Wide X 147" Long Machine Foot Print
- Perimeter Cable E-Stop	- Computer Control Spindle On/Off/Speed Changes
- Automatic Tool Length Measure Switch	- 64" X 147" Structural Table Base
- Includes Onsrud Tooling Package for Nested Mfg.	- Pressurized and Lubricated 25mm Bearing System
- Windows10 Pro Computer with 17" Monitor .....	- 3-Day Installation and Training**
- One 12-hp HSD ISO30 Four Pole 230V Tool Change Router .....	\$12,210.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- Four 2-Station Tool Bar and 8 ISO30 Tool Holders .....	\$4,400.00
- 25-hp FPZ Regenerative Vacuum Blower and Switch Gear .....	\$13,965.00
13.2 Hg, 380 CFM, 60" X 120" X 1/2" Aluminum Vacuum Grid	
- Five Air Actuated Pop Up Pin Material Stops.....	\$2,750.00
- EnRoute6 CAD/CAM Software with Nesting.....	\$3,495.00
	<b>FOB Pittsburgh, PA    Total ..... \$80,430.00</b>

### Dual Head/Individually Programmable X-Axis Motion for Mirror Image Work

<b>1000 Series Machine with Two Z-Heads.....</b>	<b>\$47,700.00</b>
- 2200 IPM Positioning Speeds X- & Y-Axis	- 500 IPM Positioning Speeds Z-Axis
- AC Brushless Closed-loop Servo	- Y-Axis Helical Rack-and-Pinion Drive
- X- Z-Axis Hiwin Ball Screw Drive	- NEMA 12 Computer Control Cabinet
- Windows® CNC Controller Software	- Z-Axis has 11" Vertical Motion
- 60" Wide X 120" Long Cutting Area	- 100" Wide X 147" Long Machine Foot Print
- Perimeter Cable E-Stop	- Computer Control Spindle On/Off/Speed Changes
- Automatic Tool Length Measure Switch	- 64" X 147" Structural Table Base
- Includes Onsrud Tooling Package for Nested Mfg.	- Pressurized and Lubricated 25mm Bearing System
- Windows10 Pro Computer with 17" Monitor .....	- 3-Day Installation and Training**
- Two 12-hp HSD ISO30 Four Pole 230V Tool Change Router .....	\$24,420.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- Four 2-Station Tool Bar and 8 ISO30 Tool Holders .....	\$4,400.00
- 25-hp FPZ Regenerative Vacuum Blower and Switch Gear .....	\$13,965.00
13.2 Hg, 380 CFM, 60" X 120" X 1/2" Aluminum Vacuum Grid	
- Five Air Actuated Pop Up Pin Material Stops.....	\$2,750.00
- EnRoute6 CAD/CAM Software with Nesting.....	\$3,495.00
	<b>FOB Pittsburgh, PA    Total ..... \$96,730.00</b>

## 60" X 144" CUTTING AREA PACKAGE

### AUTO TOOL CHANGER 60" X 144" CUTTING AREA PACKAGE

<b>1000 Series Machine with One Z-Head</b> .....	<b>\$45,110.00</b>
- 2200 IPM Positioning Speeds X- & Y-Axis	- 500 IPM Positioning Speeds Z-Axis
- AC Brushless Closed-loop Servo	- Y-Axis Helical Rack-and-Pinion Drive
- X- Z-Axis Hiwin Ball Screw Drive	- NEMA 12 Computer Control Cabinet
- Windows® CNC Controller Software	- Z-Axis has 11" Vertical Motion
- 60" Wide X 144" Long Cutting Area	- 100" Wide X 172" Long Machine Foot Print
- Perimeter Cable E-Stop	- Computer Control Spindle On/Off/Speed Changes
- Automatic Tool Length Measure Switch	- 64" X 172" Structural Table Base
- Includes Onsrud Tooling Package for Nested Mfg.	- Pressurized and Lubricated 25mm Bearing System
- Windows10 Pro Computer with 17" Monitor .....	- 3-Day Installation and Training**
- One 12-hp HSD ISO30 Four Pole 230V Tool Change Router .....	\$12,210.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- Four 2-Station Tool Bar and 8 ISO30 Tool Holders .....	\$4,400.00
- 25-hp FPZ Regenerative Vacuum Blower and Switch Gear .....	\$14,465.00
13.2 Hg, 380 CFM, 60" X 144" X 1/2" Aluminum Vacuum Grid	
- Five Air Actuated Pop Up Pin Material Stops.....	\$2,750.00
- EnRoute6 CAD/CAM Software with Nesting.....	\$3,495.00
<b>FOB Pittsburgh, PA</b>	<b>Total ..... \$82,430.00</b>

## 48" X 96" CUTTING AREA PACKAGE

### AUTO TOOL CHANGER 48" X 96" CUTTING AREA PACKAGE

<b>1000 Series Machine with One Z-Head</b> .....	<b>\$38,110.00</b>
- 2200 IPM Positioning Speeds X- & Y-Axis	- 500 IPM Positioning Speeds Z-Axis
- AC Brushless Closed-loop Servo	- Y-Axis Helical Rack-and-Pinion Drive
- X- Z-Axis Hiwin Ball Screw Drive	- NEMA 12 Computer Control Cabinet
- Windows® CNC Controller Software	- Z-Axis has 11" Vertical Motion
- 48" Wide X 96" Long Cutting Area	- 88" Wide X 123" Long Machine Foot Print
- Perimeter Cable E-Stop	- Computer Control Spindle On/Off/Speed Changes
- Automatic Tool Length Measure Switch	- 48" X 123" Structural Table Base
- Includes Onsrud Tooling Package for Nested Mfg.	- Pressurized and Lubricated 25mm Bearing System
- Windows10 Pro Computer with 17" Monitor .....	- 3-Day Installation and Training**
- One 12-hp HSD ISO30 Four Pole 230V Tool Change Router .....	\$12,210.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- Four 2-Station Tool Bar and 8 ISO30 Tool Holders .....	\$4,400.00
- 15-hp FPZ Regenerative Vacuum Blower and Switch Gear .....	\$11,025.00
14 Hg, 212 CFM, 48" X 96" X 1/2" Aluminum Vac Grid	
- Four Air Actuated Pop Up Pin Material Stops.....	\$2,200.00
- EnRoute6 CAD/CAM Software with Nesting.....	\$3,495.00
<b>FOB Pittsburgh, PA</b>	<b>Total ..... \$71,440.00</b>

## 16" X 408" Curtain Wall Aluminum Extrusion PACKAGE Horizontal and Vertical Clamping

<b>1000 Series Machine with One Z-Head</b> .....	<b>\$99,900.00</b>
<ul style="list-style-type: none"> <li>- 2200 IPM Positioning Speeds X- &amp; Y-Axis</li> <li>- AC Brushless Closed-loop Servo</li> <li>- X- Z-Axis Hiwin Ball Screw Drive</li> <li>- Windows® CNC Controller Software</li> <li>- 31" Wide X 408" Long Cutting Area</li> <li>- Automatic Tool Length Measure Switch</li> <li>- Includes Onsrud Tooling Package for Aluminum</li> <li>- C-Axis Head Rotation +91/-91</li> <li>- Windows10 Pro Computer with 17" Monitor</li> </ul>	<ul style="list-style-type: none"> <li>- 500 IPM Positioning Speeds Z-Axis</li> <li>- Y-Axis Helical Rack-and-Pinion Drive</li> <li>- NEMA 12 Computer Control Cabinet</li> <li>- Z-Axis has 18" Vertical Motion</li> <li>- 85" Wide X 432" Long Machine Foot Print</li> <li>- Computer Control Spindle On/Off/Speed Changes</li> <li>- 35" X 432" Structural Table Base</li> <li>- Pressurized and Lubricated 25mm Bearing System</li> <li>- 4-Day Installation and Training**</li> </ul>
- One 12hp HSD ISO-30 Four Pole 230V Fan Cooled Tool Change Router .....	\$12,210.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- 1 15 Station Tool Turret Carried on the Gantry and 15 ISO-30 Tool Cones.....	\$8,590.00
- Four Air Actuated Pop Up Pin Stops.....	\$3,200.00
- SMC Drum Thief Alcohol Misting System.....	\$2,550.00
- (12) Clamping Vice Systems Clamping Range 1" – 15"..... " (\$2,750.00 each).....	\$33,000.00
Independent movement down the length of table on 1" increments, Horizontal and Vertical Clamp Down Gantry will automatically place and stack vices	
- Barcode Reader with G Code File Association Software ( <i>Optional</i> ) .....	\$1,500.00
- 1000 BTU Compressor Based Cabinet Cooler ( <i>Optional</i> ) .....	\$1,500.00
- Mastercam Router X20, Mastercam CAD/CAM Router Level 1, includes Solids ( <i>Optional</i> ).....	\$7,990.00
Includes Streaming Teacher 90 Day Tutorial for Mastercam, Post Processor	

**FOB Pittsburgh, PA    Total ..... \$170,440.00**

## 16" X 396" Curtain Wall Aluminum Extrusion PACKAGE Horizontal Clamping

<b>1000 Series Machine with One Z-Head</b> .....	<b>\$66,575.00</b>
<ul style="list-style-type: none"> <li>- 2200 IPM Positioning Speeds X- &amp; Y-Axis</li> <li>- AC Brushless Closed-loop Servo</li> <li>- X- Z-Axis Hiwin Ball Screw Drive</li> <li>- Windows® CNC Controller Software</li> <li>- 31" Wide X 396" Long Cutting Area</li> <li>- Automatic Tool Length Measure Switch</li> <li>- Includes Onsrud Tooling Package for Aluminum</li> <li>- C-Axis Head Rotation +91/-91</li> <li>- Windows10 Pro Computer with 17" Monitor</li> </ul>	<ul style="list-style-type: none"> <li>- 500 IPM Positioning Speeds Z-Axis</li> <li>- Y-Axis Helical Rack-and-Pinion Drive</li> <li>- NEMA 12 Computer Control Cabinet</li> <li>- Z-Axis has 18" Vertical Motion</li> <li>- 85" Wide X 432" Long Machine Foot Print</li> <li>- Computer Control Spindle On/Off/Speed Changes</li> <li>- 35" X 432" Structural Table Base</li> <li>- Pressurized and Lubricated 25mm Bearing System</li> <li>- 4-Day Installation and Training**</li> </ul>
- One 12hp HSD ISO-30 Four Pole 230V Fan Cooled Tool Change Router .....	\$12,210.00
Long Nose Spindle with Advanced Dust Collection 24,000 RPM <i>On The Fly</i> Spindle Speed Control	
- 1 15 Station Tool Turret Carried on the Gantry and 15 ISO-30 Tool Cones.....	\$8,050.00
- Two Air Actuated Pop Up Pin Stops.....	\$1,600.00
- SMC Drum Thief Alcohol Misting System.....	\$2,550.00
- (9) Clamping Vice Systems Clamping Range 1" – 15" (Up to 24" Available) (\$1,950.00 each) .....	\$17,550.00
Independent movement down the length of table on 1" increments, Horizontal Clamping Only. Placing vices is a manual operation	
- Barcode Reader with G Code File Association Software ( <i>Optional</i> ) .....	\$1,500.00
- 1000 BTU Compressor Based Cabinet Cooler ( <i>Optional</i> ) .....	\$1,500.00
- Mastercam Router X20, Mastercam CAD/CAM Router Level 1, includes Solids ( <i>Optional</i> ) .....	\$7,990.00
Includes Streaming Teacher 90 Day Tutorial for Mastercam, Post Processor	

**FOB Pittsburgh, PA    Total ..... \$119,525.00**

## CNT Motion Systems 1000 Series Base Machines

These machines consist of Bridge/Z-Head or Heads/Electronics/Servo Motors & Drives/Computer/Motion Control Software/Table Base/NEMA 12 Pressurized Control Cabinet/48-hr Burn In/Perimeter Cable E-Stop. THESE ARE BASE MACHINE PRICES DO NOT INCLUDE: Spindles/CAD CAM Software/Vacuum or Mechanical Hold-down Systems/Dust Collection Unit/Delivery or Shipping Charges/Installation/Installers' Travel Expenses (including Accommodations and Meals) or Hook Up to Customer's power, unless ordered separately.

### CUTTING AREA SIZE

- CNT 1000 1-Head: 60" X-Axis X 60" Y-Axis X 11" Single Z-Axis Travel..... \$37,360.00
  - CNT 1000 1-Head: 48" X-Axis X 96" Y-Axis X 11" Single Z-Axis Travel..... \$38,110.00
  - CNT 1000 1-Head: 60" X-Axis X 120" Y-Axis X 11" Single Z-Axis Travel..... \$43,610.00
  - CNT 1000 2-Heads: 60" X-Axis X 120" Y-Axis X 11" Double Z-Axis Travel ..... \$45,800.00
  - CNT 1000-Dual Z-Head with Two Individually Programmable X-Axes..... \$47,700.00
- Each X-Axis is attached to one Z-Head for Mirror Image and Split-head Work.**

For actual physical width of table, add 36" to the width for bridge overhang.

For actual physical length of table, add 27" to the length.

- For all table sizes longer than 120" or wider than 60", use increments of 12" .....Add \$250.00 Per Sq. Ft.
- Curtain Wall Tables, use increments of 12" ..... add \$400.00 per Sq. Ft.
- For 12" to 23" Z-Axis Clearance and Height and Travel..... Add \$3,700.00
- For 24" to 35" Z-Axis Clearance and Height and Travel..... Add \$7,100.00
- For 36" to 48" Z-Axis Clearance and Height and Travel..... Add \$10,400.00

We have built machines with cutting areas up to 144" wide and 600" long.

The largest single-table section can only be 96" X 168". Table matches are subject to \$3,000.00 additional cost on top of table square foot prices.

Does not include the cost of vacuum or mechanical hold-down, unless ordered separately.

## CNC Machine Accessories\*

### Drill/Boring Spindles and Accessories

- Black Alloy Drill 1/2-HP Single or 3PH - 1750 or 3500 RPM - 1/2" Jacob Chuck or Collets ..... \$2,500.00
- HSD Multi Spindle 32mm Boring Head 5 X and 8 Y Drills (AVAILABLE ON 1000 SERIES ONLY.)..... \$11,825.00
- HSD Multi Spindle 32mm Boring Head 5 X and 5 Y Drills (AVAILABLE ON 1000 or 950 SERIES.)..... \$7,875.00

### Dust Collection System

- 3-hp 220 volt single-phase - Two Bag - 1925 CFM ..... \$1,085.00
- Cyclone Dust Collection System 3-hp 1349 CFM ..... \$4,000.00
- 25' long X 6" ID flex dust collection hose..... \$450.00

### SPINDLES AND ACCESSORIES

(All Spindles include Dust Hood and Mounting Back Plate.)

#### Collet Style Spindles and Accessories

- Perske 7.0 HP Router - Covernut and 1/2", 3/8" & 1/2" Collet - 230 Volt AC Inverter - line rectifier..... \$5,700.00
- Perske 5.5 HP Router - Covernut and 1/2", 3/8" & 1/2" Collet - 230 Volt AC Inverter - line rectifier..... \$5,200.00
- HSD/SEV 9.3 HP Router - Covernut and 1/4", 3/8", 1/2" Collets - 230 Volt AC Inverter - line rectifier ..... \$6,700.00
- HSD/SEV 4.3 HP Router - Covernut and 1/4", 3/8", 1/2" Collets - 230 Volt AC Inverter - line rectifier ..... \$5,700.00
- HSD/SEV 2.27 HP Router - Covernut and 1/4", 3/8", 1/2" Collets - 230 Volt AC Inverter - line rectifier ..... \$4,700.00
- Porter Cable 3.5 HP Router - 1/4" & 1/2" Collet- 110 Volt AC ..... \$875.00

## SPINDLES AND ACCESSORIES

### ISO 30 Auto Tool Changer Spindles and Accessories

(All Toolchanger Spindle Tool Holders use ER32 or ER40 Collets)

- HSD ISO30 5.0 HP Router - 1 Toolholder, Covernut and 1/4", 3/8", 1/2" Collets ..... \$11,300.00  
(230 Volt AC Inverter - Line Reactor – auto and push button tool release)
- HSD ISO30 12.0 HP Router - 1 Toolholder, Covernut and 1/4", 3/8", 1/2" Collets ..... \$12,560.00  
(230 Volt AC Inverter - Line Reactor – auto and push button tool release)
- HSD HSK-63 12.0 HP Router - 1 Toolholder, Covernut and 1/4", 3/8", 1/2" Collets ..... \$13,635.00  
(230/480 Volt AC Inverter - Line Reactor – auto and push button tool release)
- HSD 12.0 HP Router - With C-Axis - Toolholder, Covernut and 1/4", 3/8", 1/2" Collets..... \$19,700.00  
(230/460 Volt AC Inverter - Line Reactor – auto and push button tool release)
- Right Angle Aggregate, ISO30 ER25 Collet for use with C-Axis Spindles, HSK-F63 Available ..... \$6,150.00
- 120-140mm Rotating Saw for ISO30 C-Axis Spindles, HSK-F63 Available ..... \$6,725.00
- Extra ISO 30 ER32 Toolholders, Covernut and (Specify) Collet (3/32" to 25/32")..... \$350.00
- Extra ISO 30 ER40 Toolholders, Covernut and (Specify) Collet (1/8" to 1")..... \$390.00
- Extra HSK-63 ER32 Toolholders, Covernut and (Specify) Collet (3/32" to 25/32")..... \$375.00
- Extra HSK-63 ER40 Toolholders, Covernut and (Specify) Collet (1/8" to 1")..... \$415.00
- Fixed Position Auto Tool Change Tray – Eight ISO30 Toolholders, Covernuts and (Specify) Collets..... \$2,600.00  
(Available on 950 (13 Total Tools Max) and 1000 Series Machines (21 Total Tools Max).....For HSK-F63, add \$320.00

**Custom Tool Racks and Turrets are available, Please inquire.**

### Material Hold-Down Systems

- Heavy Duty T-Slot Decking Based on Square Feet: Price Per Square Foot..... \$280.00
- Light Duty Bosch T-Slot Decking Based on Square Feet: Price Per Square Foot..... \$180.00
- Thru-Vacuum with Regenerative Blower by FPZ ..... \$13,965.00
  - 60" X 120" X 1/2" Cast Aluminum Mill Plate Grid - No Zones - 300 CFM
  - 13.8" Hg at 380 CFM - 25-hp FPZ Blower - Contactor - Relief Valve
- Thru-Vacuum with Becker VTLF2.250/0-79 Rotary Vane Vacuum Pump ..... \$14,900.00
  - 60" X 120" X 1/2" Cast Aluminum Mill Plate Grid - No Zones -
  - 24" Hg at 174 CFM – 8.6hp Vacuum - Contactor
- Thru-Vacuum with Dual Becker VTLF2.250/0-79 Rotary Vane Vacuum Pump ..... \$20,400.00
  - 60" X 120" X 1/2" Cast Aluminum Mill Plate Grid - No Zones -
  - 24" Hg at 348 CFM – 8.6hp Vacuum - Contactor
- Zones controlled by Electronic Gate Valves, Price per Zone ..... \$650.00
- For All Grid Sizes Longer than 120" or Wider than 60", use Increments of 12" .....Add Per Sq. Ft. \$50.00

**Other Vacuum Pumps/Systems/Grids/Zones/Sizes, available. Please inquire.**

## CNC Training and Software

### Installation and Training\*\*

- Minimum charge for 8-hr day, one man (Three-day install/training, standard) ..... \$1,065.00
- \*\* (Does not include Travel/Lodging or Meals of Installation/Training Personnel)

### Software

- Microsystems Stair Stringer G-Code Generator Program Basic ..... \$3,000.00
- Microsystems Stair Stringer G-Code Generator Program with Optimization ..... \$8,000.00
- Microsystems Vinyl Fence G-Code Generator Program ..... \$3,000.00
- Remote Pendant for Operation and Programming ..... \$1,050.00
- Blue Tooth Remote Pendant for Jogging Operation and Programming .. \$1,050.00

### EnRoute Software

- EnRoute6 Entry 2-D (CAM Only) .....	\$995.00
- EnRoute6 Basic 2-D .....	\$2,495.00
- EnRoute6 Plus 2 1/2-D with Nesting.....	\$3,495.00
- EnRoute6 Wood 2 1/2-D with Auto Tool Path and Advanced Nesting .	\$4,995.00
- EnRoute6 Pro 3-D with Advanced Nesting.....	\$6,495.00
- EnRoute6 Wood/Pro 3-D with Auto Tool Path and Advanced Nesting .....	\$7,995.00

### Other Software Options are Available.

EnRoute6, Visual Mill, Rhino, Art Cam, AlphaCam, Edgecam, SurfCam, Shape3D, Mastercam, CASmate, Model Mill, BobCAD-CAM, KCDW, Microvellum, Pattern Systems, RouterCAD, Cabinets Parts Pro, Planit Solutions - Cabinet Ware Cabinet Vision, Vetric, Aspire, GibbsCam, Autodesk Inventor HSM & Fusion360.

Just ask for your software preference.


\*A factory-trained representative should install accessories if they are being purchased to retrofit an existing machine. Special modifications may be necessary to operate them on your machine.

\*\*Does not include Travel/Lodging or Per Die of Installation/Training Personnel.




Serving the CNC industry since 1990.


1600 William Flinn Highway  
 Glenshaw, PA 15116  
 412-244-5770  
 www.cntmotion.com




5 Hp ISO30 Tool Change



C-Axis Saw Aggregate  
 ISO30



5 Hp HSD ER32 Colleted Router



10 Hp ISO30 Router - with C Axis